


WISE

recessed

xal.com/wise



Quickinfo

GENERAL

wall recessed

IP54

optional concrete install. housing

LED

High-power LED

up to 56 lm/W

3000 K

CRI ≥ 80

Binning initial ≤ 3 MacAdam

ESTIMATED LED LIFETIME

L80/50 000 h

OPTICAL

asymmetric illumination

lens optics

ELECTRICAL

non DIM

PHYSICAL

aluminium

powder-coated

optimised corrosion protection

Description

DE Wandeinbauleuchte aus Aluminium-druckguss, schutzeloxiert, mit umlaufendem Rand; Oberfläche grau, weiß oder dunkelgrau pulverbeschichtet; geeignet für Wandstärken von 10-25 mm; Einputzgehäuse für massive Wände als Zubehör erhältlich; asymmetrische Lichtverteilung; energieeffiziente LEDs mit sehr guter Farbwiedergabe; Binning initial ≤ 3 MacAdam; lieferbar in der Lichtfarbe 3000 K; CRI ≥ 80; min. 80 % des Lichtstromes nach 50 000 h Lebensdauer; Schutzart IP54; SKI

EN Recessed wall luminaire made of anodised die-cast aluminium with trim; surface powder coated in grey, white or dark grey; suitable for wall thickness of 10-25 mm; flush housing for solid walls available as accessory; asymmetrical light distribution; energy-efficient LEDs with very good colour rendering; binning initial ≤ 3 MacAdam; available in the light colour 3000 K; CRI ≥ 80; min. 80 % of the luminous flux after 50 000 hours; protection class IP54; PC1

Standard configuration

IP RATING


IP54

CONTROL

non DIM

MATERIAL COLOUR


| | |
|-----------|---|
| white | 7 |
| grey | 6 |
| dark grey | D |



WISE MINI recessed



| SYSTEM POWER | COLOUR TEMP. | LUMINOUS FLUX | ORDER CODE |
|--------------|--------------|---------------|---------------------|
| 1,4 W | 3000 K | 80 lm | 0 5 2 - 7 4 5 0 5 1 |



WISE recessed



| SYSTEM POWER | COLOUR TEMP. | LUMINOUS FLUX | ORDER CODE |
|--------------|--------------|---------------|---------------------|
| 1,4 W | 3000 K | 80 lm | 0 5 2 - 7 4 6 0 5 1 |



Accessory

INSTALLATION HOUSING FOR CONCRETE

| TYPE | ORDER CODE |
|-----------|-----------------------|
| WISE MINI | 0 5 2 - 7 4 1 9 9 1 0 |
| WISE | 0 5 2 - 7 4 3 9 9 1 0 |

INSTALLATION HOUSING FOR SOLID WALLS

| TYPE | ORDER CODE |
|-----------|-----------------------|
| WISE MINI | 0 5 2 - 7 4 1 9 9 2 0 |
| WISE | 0 5 2 - 7 4 3 9 9 2 0 |



Inspiration

The GPT Group
Sydney, Australia

ARCHITECT
WoodsBagot
Sydney, Australia

PRODUCT
WISE MINI recessed



