



Cled — Le Cottage Bise, Talloires, France

C O N G A

Conga marks out architecture, sets light accents in parks or gardens and designs path areas with its accentuated light. It is available in various LED colours. Conga combines requirements for heavy-duty materials with the benefits of a long service life to create an economical lighting solution.

Conga

die-cast aluminium body · opal domed PC cover · vehicles with tyres can drive over it at slow speeds · double connector for loop in-and-out · with or without bezel · no visible screws · anodised aluminium

LED colours: 3 000 K, 4 250 K, 6 500 K, red, green, amber or blue · RGB with DMX on request

incl. conical inground housing



Conga



Conga with bezel

Conga



symm.

LED 3 000/4 250/6 500 K/colours


LED controls → p. 394

updated LED values
→ selux.com

IP67 IK10 

Conga with inground
housing conical

with bezel



C Y T A N A

Cytana inground luminaires blend discretely in the night-time environment, marking out paths, setting light accents on facades and providing harmonious illumination for plants. The Cytana is available in various LED colours. It combines the requirements for hard-wearing materials with the benefits of a long service life to create an economical light solution.

Cytana

die-cast aluminium body · flat matt toughened glass cover · vehicles with tyres can drive over it at slow speeds · double connector for loop in-and-out · with or without bezel · no visible screws · anodised aluminium

LED colours: 3 000 K, 4 250 K, 6 500 K, red, green, amber or blue RGB with DMX on request

incl. conical inground housing



Cytana



Cytana with bezel

Cytana




symm.

LED 3 000 / 4 250 / 6 500 K / colours

LED controls → p. 394

updated LED values
→ selux.com

IP67 IK10 Ⓢ CE



C L E D

The Cled is a particularly small inground luminaire for marking and path guidance tasks. It provides individual accent lighting in parks and gardens as well as in service roads, entrance areas and interior spaces. The Cled is available in various LED colours.

Cled

die-cast aluminium · flat toughened glass cover · vehicles with tyres can drive over it at slow speeds · no visible screws · anodised aluminium

LED colours: 3 000 K, 4 000 K, 6 500 K, amber, blue, red, green

incl. inground housing and cable



symm.

LED

3 000/4 000 K/colours

LED controls → p. 394

updated LED values
→ selux.com

IP67 IK10   

Cled incl. inground housing

